

1.1. Product identifier

SAFETY DATA SHEET

according to Regulation UK SI 2019/758 and UK SI 2020/1577 as amended

Revision Date 30-Nov-2024

Revision Number 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Description:Iron(III) 2-ethylCat No. :89307Molecular FormulaC24 H45 FeO6

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6% 89307 C24 H45 FeO6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

1.3. Details of the supplier of the safety data sheet

Company

E-mail address

begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

Poison Centre - Emergency	Ireland : National Poisons Information Centre (NPIC) -
information services	01 809 2166 (8am-10pm, 7 days a week)
	Malta : +356 2395 2000 Cyprus : +357 2240 5611

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification - According to GB-CLP Regulations UK SI 2019/720 and UK SI 2020/1567

Physical hazards

Flammable liquids

Category 3 (H226)

Health hazards

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

Aspiration Toxicity Germ Cell Mutagenicity Carcinogenicity Specific target organ toxicity - (repeated exposure)

Environmental hazards

Chronic aquatic toxicity

Category 1 (H304) Category 1B (H340) Category 1B (H350) Category 1 (H372)

Revision Date 30-Nov-2024

Category 2 (H411)

Full text of Hazard Statements: see section 16

2.2. Label elements



Signal Word

Danger

Hazard Statements

- H226 Flammable liquid and vapor
- H304 May be fatal if swallowed and enters airways
- H340 May cause genetic defects
- H350 May cause cancer
- H372 Causes damage to organs through prolonged or repeated exposure
- H411 Toxic to aquatic life with long lasting effects

EUH066 - Repeated exposure may cause skin dryness or cracking

Precautionary Statements

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

- P331 Do NOT induce vomiting
- P201 Obtain special instructions before use

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Additional EU labelling

Restricted to professional users

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

Revision Date 30-Nov-2024

Stoddard solvent	8052-41-3	EEC No. 232-489-3	50.00	Flam. Liq. 3 (H226) Muta. 1B (H340) Carc. 1B (H350) Asp. Tox. 1 (H304) STOT RE 1 (H372) Aquatic Tox. 2 (H411) (EUH066)
Hexanoic acid, 2-ethyl-, iron(3+) salt	7321-53-1	EEC No. 230-794-6	50.00	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice	If symptoms persist, call a physician.
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).
Self-Protection of the First Aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
4.2. Most important symptoms and	effects, both acute and delayed
	Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting
4.3. Indication of any immediate me	edical attention and special treatment needed
Notes to Physician	Treat symptomatically. Symptoms may be delayed.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Carbon dioxide (CO₂). Powder. Water spray. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO), Carbon dioxide (CO₂), Iron oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Should not be released into the environment. Do not allow material to contaminate ground water system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

Technical Rules for Hazardous Substances (TRGS) 510 Class 3 Storage Class (LGK) (Germany)

7.3. Specific end use(s)

Use in laboratories

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. **IRE -** 2021 Code of Practice for the Chemical Agents Regulations, Schedule 1. Published by the Health and Safety Authority

Component	The United Kingdom	European Union	Ireland
Stoddard solvent			TWA: 100 ppm 8 hr.
			TWA: 573 mg/m ³ 8 hr.
Hexanoic acid, 2-ethyl-, iron(3+) salt	STEL: 2 mg/m ³ 15 min		
	TWA: 1 mg/m ³ 8 hr		

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Stoddard solvent 8052-41-3 (50.00)		DNEL = 30mg/kg bw/day	DNEL = 7.56mg/cm2	DNEL = 80mg/kg bw/dav
Hexanoic acid, 2-ethyl-, iron(3+)		Dw/ddy		DNEL = 14mg/kg
salt 7321-53-1(50.00)				bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Stoddard solvent 8052-41-3 (50.00)	DNEL = 55mg/m ³	DNEL = 55mg/m ³	DNEL = 44mg/m ³	DNEL = 44mg/m ³
Hexanoic acid, 2-ethyl-, iron(3+) salt 7321-53-1 (50.00)				DNEL = 4.9mg/m ³

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Stoddard solvent 8052-41-3 (50.00)	PNEC = 0.14mg/L	PNEC = 1.14mg/kg sediment dw	PNEC = 0.014mg/L		
Hexanoic acid, 2-ethyl-, iron(3+) salt 7321-53-1 (50.00)	PNEC = 0.1mg/L	PNEC = 84.8mg/kg sediment dw	PNEC = 1mg/L	PNEC = 25mg/L	PNEC = 16.88mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water intermittent	Food chain	Air
Stoddard solvent 8052-41-3 (50.00)	PNEC = 0.35mg/L	PNEC = 0.14mg/kg sediment dw			PNEC = 10mg/m ³
Hexanoic acid, 2-ethyl-, iron(3+) salt	PNEC = 0.01 mg/L	PNEC = 8.48mg/kg sediment dw	PNEC = 1mg/L		
7321-53-1 (50.00)					

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

8.2. Exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

		· · · · · - · · · · · · · · · · ·
Eye Protection	Wear safety glasses with side shields (or goggles)	(European standard - EN 166)

Hand Protection	Protective gloves
-----------------	-------------------

Glove material Viton (R)	Breakthrough time See manufacturers recommendations	Glove thickness -	EU standard EN 374	Glove comments (minimum requirement)
Skin and body pro	tection Long sle	eved clothing.		

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly
Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Multi-purpose/ABEK conforming to EN14387 low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and vapours filter Type A Brown
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN 141 When RPE is used a face piece Fit Test should be conducted
Environmental exposure controls	Prevent product from entering drains. Do not allow material to contaminate ground water system.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Estimated Liquid

9.1. Information on basic physical and chemical properties

Physical State	Liquid
Appearance Odor	No information available
Odor Threshold	No data available
Melting Point/Range Softening Point	No data available No data available
Boiling Point/Range	No information available
Flammability (liquid) Flammability (solid,gas)	Flammable Not applicable

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

Explosion Limits	No data available	
Flash Point	No information available	Method - No information available
Autoignition Temperature	No data available	
Decomposition Temperature	No data available	
pH	No information available	
Viscosity	No data available	
Water Solubility	Immiscible	
Solubility in other solvents	No information available	
Partition Coefficient (n-octanol/w	vater)	
Component	log Pow	
Stoddard solvent	6.4	
Vapor Pressure	23 hPa @ 20 °C	
Density / Specific Gravity	0.91 g/cm3	@ 20 °C
Bulk Density	Not applicable	Liquid
Vapor Density	No data available	(Air = 1.0)
Particle characteristics	Not applicable (liquid)	

9.2. Other information

Molecular FormulaC24 H45 FeO6Molecular Weight485.47Explosive Propertiesexplosive air/vapour mixtures possible

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity	None known, based on information available
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reaction	ions
Hazardous Polymerization Hazardous Reactions	No information available. None under normal processing.
10.4. Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
10.5. Incompatible materials	Oxidizing agent.

10.6. Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Iron oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

Toxicology data for the components

Component	LD50 O			50 Dermal	LC50 Inhalation				
Stoddard solvent	5000 mg/kg	5000 mg/kg (orl, rat) LD50 > 3000 mg/kg (Rabbit) LC50 > 5.5 mg/L (Rat) 4 h							
(b) skin corrosion/irritation;	No data available	1							
(c) serious eye damage/irritation;	No data available	1							
(d) respiratory or skin sensitizatio Respiratory Skin	on; No data available No data available								
(e) germ cell mutagenicity;	Category 1B								
(f) carcinogenicity;	Category 1B								
	The table below i	ndicates who	ether each a	gency has listed an	y ingredient as a	carcinogen			
Component	EU	U	К	Germany		ARC			
Stoddard solvent	Carc Cat. 1B					-			
(g) reproductive toxicity; (h) STOT-single exposure;	No data available No data available								
(i) STOT-repeated exposure;	Category 1								
Target Organs	Central nervous s	system (CNS).						
(j) aspiration hazard;	Category 1								
Symptoms / effects,both acute an delayed	nd Symptoms of ove	rexposure m	ay be heada	ache, dizziness, tire	edness, nausea ar	nd vomiting.			
11.2. Information on other hazard	<u>S</u>								
Endocrine Disrupting Properties	Assess endocrine known or suspec			r human health. Th	is product does no	ot contain ar			
Ş	SECTION 12: E	COLOGI	CAL INFO	ORMATION					
<u>12.1. Toxicity</u> Ecotoxicity effects	environment. The	product cor / cause long	tains followi term advers	ng-term adverse efing substances which see ffects in the environment	ch are hazardous	for the			

material to contaminate ground water system.

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

12.2. Persistence and degradability Persistence Degradation in sewage treatment plant	 Product contains heavy metals. Discharge into the environment must be avoided. Special pre-treatment is necessary Immiscible with water, May persist. Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants. 							
12.3. Bioaccumulative potential	May have some potential to bioaccumulate; Product has a high potential to bioconcentra							
Component	log Pow	Bioconcentration factor (BCF)						
Stoddard solvent	6.4	No data available						
12.4. Mobility in soil	Spillage unlikely to penetrate soil The product is mobile in the environment due its low water solu							
<u>12.5. Results of PBT and vPvB</u> assessment	No data available for assessment.							
<u>12.6. Endocrine disrupting</u> properties Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors							
<u>12.7. Other adverse effects</u> Persistent Organic Pollutant Ozone Depletion Potential	This product does not contain any known or sus This product does not contain any known or sus							
SE	CTION 13: DISPOSAL CONSIDER	ATIONS						
13.1. Waste treatment methods								
Waste from Residues/Unused Products	Waste is classified as hazardous. Dispose of in on waste and hazardous waste. Dispose of in a							
Contaminated Packaging	Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.							
European Waste Catalogue (EWC)	According to the European Waste Catalog, Was application specific.	ste Codes are not product specific, but						
Other Information	Do not flush to sewer. Waste codes should be a application for which the product was used. Can compliance with local regulations. Do not let this applies the design.	n be landfilled or incinerated, when in						

SECTION 14: TRANSPORT INFORMATION

empty into drains.

IMDG/IMO

<u>14.1. UN number</u> 14.2. UN proper shipping name	UN1268 Petroleum distillates, n.o.s.
14.3. Transport hazard class(es)	3
14.4. Packing group	III

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

ADR

<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN1268 Petroleum distillates, n.o.s. 3 III
IATA_	
<u>14.1. UN number</u> 14.2. UN proper shipping name 14.3. Transport hazard class(es) 14.4. Packing group	UN1268 Petroleum distillates, n.o.s. 3 III
14.5. Environmental hazards	Dangerous for the environment Product is a marine pollutant according to the criteria set by IMDG/IMO
14.6. Special precautions for user	No special precautions required.
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Stoddard solvent	8052-41-3	232-489-3	-	-	Х	Х	KE-32199	-	-
Hexanoic acid, 2-ethyl-, iron(3+) salt	7321-53-1	230-794-6	-	-	X	Х	KE-13754	X	Х

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Stoddard solvent	8052-41-3	Х	ACTIVE	Х	-	Х	Х	Х
Hexanoic acid, 2-ethyl-, iron(3+) salt	7321-53-1	Х	ACTIVE	х	-	-	-	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Stoddard solvent	8052-41-3	-	Use restricted. See entry 28. (see link for restriction details) Use restricted. See entry 29. (see link for restriction	-

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

			details) Use restricted. See entry 75. (see link for restriction details)	
Hexanoic acid, 2-ethyl-, iron(3+) salt	7321-53-1	-	-	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Stoddard solvent	8052-41-3	Not applicable	Not applicable
Hexanoic acid, 2-ethyl-, iron(3+) salt	7321-53-1	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Dir 76/769/EEC relating to restrictions on the marketing and use of certain dangerous substances and preparations

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = 3 (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Stoddard solvent	WGK2	

Component	France - INRS (Tables of occupational diseases)
Stoddard solvent	Tableaux des maladies professionnelles (TMP) - RG 84

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H304 - May be fatal if swallowed and enters airways

H340 - May cause genetic defects

H350 - May cause cancer

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

H372 - Causes damage to organs through prolonged or repeated exposure H411 - Toxic to aquatic life with long lasting effects EUH066 - Repeated exposure may cause skin dryness or cracking H226 - Flammable liquid and vapor

Legend

CAS - Chemical Abstracts Service	TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances	
 WEL - Workplace Exposure Limit ACGIH - American Conference of Governmental Industrial Hygienists DNEL - Derived No Effect Level RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic 	 TWA - Time Weighted Average IARC - International Agency for Research on Cancer Predicted No Effect Concentration (PNEC) LD50 - Lethal Dose 50% EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative
ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code OECD - Organisation for Economic Co-operation and Development BCF - Bioconcentration factor	ICAO/IATA - International Civil Aviation Organization/International Air Transport Association MARPOL - International Convention for the Prevention of Pollution from Ships ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:Physical hazardsOn basis of test dataHealth HazardsCalculation methodEnvironmental hazardsCalculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Prepared By	Health, Safety and Environmental Department
Revision Date	30-Nov-2024
Revision Summary	Not applicable.

This safety data sheet complies with Regulation UK SI 2019/758 and UK SI 2020/1577 as amended.

Disclaimer

.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

Iron(III) 2-ethylhexanoate, nominally 50% in mineral spirits, Fe 6%

End of Safety Data Sheet